Product Code
00-8348-05-05

Installation Instructions
3D File
Photometry
Dialux | ULD
Revit (BIM)

Configurator

Super Attic Conic Shape

Nahtrang Design


Pendant Super Attic Conic Shape E27 15 Black 916lm

Technical features

Luminaire total power: 15W
Lens / reflector angle: HORIZONTAL 130°
Structure material: Aluminium
Structure finish: Black
Max. size of light bulb: NA/100 mm
Recommended light bulb: E27
Voltage / frequency: 100-240V/50-60Hz
Warranty: 5 años
Easily recyclable luminaire

IP20 RF 850°C





Luminotechnic features

Lampholder	Quantity	Light source power (W)	Correlated Colour Temperature (CCT)
E27	1	Max. power 15W	-

Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.

ledsc4@ledsc4.com
LedsC4, Afores s/n 25750 Torà (Lleida) Spain +34 973 468 100

Super Attic Conic Shape

Nahtrang Design

Pendant Super Attic Conic Shape E27 15 Black 916lm

Logistics

x 1

Net weight (kg): 1.66
Packaged weight (kg): 3.21
Packaging: 520mm x 520mm x 400mm

Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.

ledsc4@ledsc4.com
LedsC4, Afores s/n 25750 Torà (Lleida) Spain +34 973 468 100

Product Code
00-8365-05-05

Installation Instructions
3D File
Photometry
Dialux | ULD
Revit (BIM)

Configurator

Super Attic Conic Shape V 1250mm

Nahtrang Design


Pendant Super Attic Conic Shape V 1250mm E27 15 Black 916lm

Technical features

Luminaire total power: 15W
Lens / reflector angle: HORIZONTAL 130°
Structure material: Aluminium
Structure finish: Black
Max. size of light bulb: NA/100 mm
Recommended light bulb: E27
Voltage / frequency: 100-240V/50-60Hz
Warranty: 5 años
Easily recyclable luminaire

IP20 | RF 850°C





Luminotechnic features

Lampholder	Quantity	Light source power (W)	Correlated Colour Temperature (CCT)
E27	1	Max. power 15W	-

Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.

ledsc4@ledsc4.com
LedsC4, Afores s/n 25750 Torà (Lleida) Spain +34 973 468 100

Super Attic Conic Shape V 1250mm

Nahtrang Design

Pendant Super Attic Conic Shape V 1250mm E27 15 Black 916lm

Logistics

x 1

Net weight (kg): 1.61
Packaged weight (kg): 3.16
Packaging: 520mm x 520mm x 400mm

Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.

Product Code
00-8373-05-05

Installation Instructions
3D File
Photometry
Dialux | ULD
Revit (BIM)

Configurator

Super Attic 2 bodies Conic Shape 1250mm Side

Nahtrang Design


Pendant Super Attic 2 bodies Conic Shape 1250mm Side E27 30 Black 1832lm

Technical features

Luminaire total power: 30W
Lens / reflector angle: HORIZONTAL 130°
Structure material: Aluminium
Structure finish: Black
Max. size of light bulb: NA/100 mm
Recommended light bulb: E27
Voltage / frequency: 100-240V/50-60Hz
Warranty: 5 años
Easily recyclable luminaire

IP20 RF 850°C





Luminotechnic features

Lampholder	Quantity	Light source power (W)	Correlated Colour Temperature (CCT)
E27	2	Max. power 15W	-

Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.

ledsc4@ledsc4.com
LedsC4, Afores s/n 25750 Torà (Lleida) Spain +34 973 468 100

Super Attic 2 bodies Conic Shape 1250mm Side

Nahtrang Design

Pendant Super Attic 2 bodies Conic Shape 1250mm Side E27 30 Black 1832lm

Logistics

x 1

Net weight (kg): 3.07
Packaged weight (kg): 8.22
Packaging: 1020mm x 610mm x 420mm

Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.

ledsc4@ledsc4.com
LedsC4, Afores s/n 25750 Torà (Lleida) Spain +34 973 468 100

Product Code
00-8381-05-05

Installation Instructions
3D File
Photometry
Dialux | ULD
Revit (BIM)

Configurator

Super Attic 3 bodies Conic Shape 1250mm Side


Nahtrang Design


Pendant Super Attic 3 bodies Conic Shape 1250mm Side E27 45 Black 2748lm

Technical features

Luminaire total power: 45W
Lens / reflector angle: HORIZONTAL 130°
Structure material: Aluminium
Structure finish: Black
Max. size of light bulb: NA/100 mm
Recommended light bulb: E27
Voltage / frequency: 100-240V/50-60Hz
Warranty: 5 años
Easily recyclable luminaire

IP20 RF 850°C





Luminotechnic features

Lampholder	Quantity	Light source power (W)	Correlated Colour Temperature (CCT)
E27	3	Max. power 15W	-

Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.

ledsc4@ledsc4.com
LedsC4, Afores s/n 25750 Torà (Lleida) Spain +34 973 468 100

LedsC4

Product Code
00-8381-05-05

Installation Instructions
3D File
Photometry
Dialux | ULD
Revit (BIM)

Configurator

Super Attic 3 bodies Conic Shape 1250mm Side

Nahtrang Design

Pendant Super Attic 3 bodies Conic Shape 1250mm Side E27 45 Black 2748lm

Logistics

x 1

Net weight (kg): 4.53
Packaged weight (kg): 13.55
Packaging: 1020mm x 1020mm x 520mm

Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.

ledsc4@ledsc4.com
LedsC4, Afores s/n 25750 Torà (Lleida) Spain +34 973 468 100

Product Code
00-8389-05-05

Installation Instructions
3D File
Photometry
Dialux | ULD
Revit (BIM)

Configurator

Super Attic 4 bodies Conic Shape 1250mm Side

Nahtrang Design


Pendant Super Attic 4 bodies Conic Shape 1250mm Side E27 60 Black 3664lm

Technical features

Luminaire total power: 60W
Lens / reflector angle: HORIZONTAL 130°
Structure material: Aluminium
Structure finish: Black
Max. size of light bulb: NA/100 mm
Recommended light bulb: E27
Voltage / frequency: 100-240V/50-60Hz
Warranty: 5 años
Easily recyclable luminaire

IP20 RF 850°C





Luminotechnic features

Lampholder	Quantity	Light source power (W)	Correlated Colour Temperature (CCT)
E27	4	Max. power 15W	-

Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.

ledsc4@ledsc4.com
LedsC4, Afores s/n 25750 Torà (Lleida) Spain +34 973 468 100

LedsC4

Product Code
00-8389-05-05

Installation Instructions
3D File
Photometry
Dialux | ULD
Revit (BIM)

Configurator

Super Attic 4 bodies Conic Shape 1250mm Side

Nahtrang Design

Pendant Super Attic 4 bodies Conic Shape 1250mm Side E27 60 Black 3664lm

Logistics

x 1

Net weight (kg): 5.99
Packaged weight (kg): 16.35
Packaging: 1020mm x 1020mm x 520mm

Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.

ledsc4@ledsc4.com
LedsC4, Afores s/n 25750 Torà (Lleida) Spain +34 973 468 100

Product Code
05-8348-05-05

Installation Instructions
3D File
Photometry
Dialux | ULD
Revit (BIM)

Configurator

Super Attic

Nahtrang Design

Wall fixture Super Attic E27 15 Black

Technical features

Luminaire total power: 15W
Structure material: Aluminium
Structure finish: Black
Max. size of light bulb: NA/100 mm
Recommended light bulb: E27
Voltage / frequency: 100-240V/50-60Hz
Warranty: 5 años
Easily recyclable luminaire

IP20 | RF 850ºC | A G

Luminotechnic features

Lampholder	Quantity	Light source power (W)	Correlated Colour Temperature (CCT)
E27	1	Max. power 15W	-






Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.

ledsc4@ledsc4.com
LedsC4, Afores s/n 25750 Torà (Lleida) Spain +34 973 468 100

LedsC4

Product Code
05-8348-05-05

Installation Instructions
3D File
Photometry
Dialux | ULD
Revit (BIM)

Configurator

Super Attic

Nahtrang Design

Wall fixture Super Attic E27 15 Black

Logistics

x 1

Net weight (kg): 1.73
Packaged weight (kg): 3.28
Packaging: 520mm x 520mm x 400mm

Light application



Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.

ledsc4@ledsc4.com
LedsC4, Afores s/n 25750 Torà (Lleida) Spain +34 973 468 100